(d) if so, by when this is likely to be implemented?

THE MINISTER OF STATE IN THS MINISTRY OF COMMUNICATIONS (SHRI GIRIDHAR GOMANGO); (a) No, Sir.

(b) It has been planned to provide STD facility to all the District Head quarters by March, 1990.

(c) and (d) Extending STD facility to sub divisional headquarters is being considered as one of the objectives for the Eighth Plan.

Converting Trunk Line into Local Line between Cuttaek and Bhubaneswar

2364. SHRI BASUDEB MOHAPATRA: Will the Minister of COMMUNICATIONS be pleased to state.

(a) whether it is a fact that Government have given directions to the Telecom authorities to convert the trunk line between Cuttaek and Bhubaneswar into local lines; and

1 b) by when the said directions will be implemented?

THE MINISTER OF STATE IN THE MINISTRY OF COMMUNICATIONS (SHRI GIRIDHAR GOMANGO); (a) No, Sir.

(b) Does not arise.

Petrochemical Project in Rajasthan

2865. SHRI KAMAL MORARKA: Will the Minister of INDUSTRY be pleased to state:

(a) whether any proposal has been cleared by Government for retting up a project for making, polyacetal resins, alloys and blends in Rajasthan; and

(b) if so, what are the details of tFie project indicating the capacity, capital outlay etc.?

THE MINISTER OF INDUSTRY (SHRI J. VENGAL RAO): (a) and (br) A letter of intent was issued to M|s Shriram" Fibres Limited on 31-10-1988 for the setting up of a project for the manufacture of 5,000 tonnes per annum of polyacetal resins. alloys and blends at Tehsil Tijara, District Alwar in Rajasthan. The estimated cost of the project is Rs. 30 crores.

Increased Production of Paraxylene

2866. SHRI KAMAL MORARKA: Will the Minister of INDUSTRY be pleased to state;

(a) whether the indigenous production of paraxylene is likely to be increased in the near future;

(b) if so, what is the P2~esent production per annum and likely increase projected;

(c) whether impoits of paraxylene will also be stopped; and

(d) if so, by when?

THE MINISTER OF INDUSTRY 'SHRl J. VENGAL RAO): (a) Yes, Sir.

(b) to (d) The production of para-xylene in 1988 was around 30,000 tonnes. With the completion of projects under implementation, the production capacity for paraxylene will increase to around 1,45,000 tpa. However, even thereafter, there will be gap between demand and domestic availability which shall have *o *JC covered through imports.

बोधघाट बांध का अनुमोदन

2867. **श्री अजीत जोगी :**
श्री पृथ्वी मांझी :

क्या ऊर्जा मंत्री यह बताने की कृपा करेंगे कि :

(क) क्या कुछ प्रख्यात बुद्धिजीवियों ने प्रधान मंत्री से यह अनुरोध किया है कि मध्य प्रदेश में बस्तर जिले की इन्द्रावती नदी पर बनाये जाने वाले बोधघाट बांध का अनुमोदन नहीं किया जाए ; और

(ख) यदि हां, तो इस संबंध में केन्द्रीय सरकार का क्या दृष्टिकोण है ?

ऊर्जा मंत्रालय में विद्युत विभाग में राज्य मंत्री (श्री कल्पनाथ राय) : (क) बोधघाट जल विद्युत परियोजना की समस्याओं के बारे चिन्ता व्यक्त करते हुए प्रधान मंत्री को सम्बोधित कुछ अभ्यावेदन प्राप्त हुए हैं ।

(ख) इन्दिरा सरोवर (बोधघाट) जल विद्युत परियोजना की सभी दृष्टियों से स्वीकृति के बारे में कोई अन्तिम दृष्टिकोण नहीं अपनाया गया है।

ताप विद्युत गृहों के कल-पुर्जों के लिए अनुषंगी एकक

2868. **श्री अजीत जोगी :**
श्री पृथ्वी मांझी :

क्या ऊर्जा मंत्री 7 दिसम्बर, 1987 को राज्य सभा में अतारांकित प्रश्न 423 के दिये गये उत्तर को देखेंगे और यह बताने की कृपा करेंगे कि :

(क) क्या ताप विद्युत गृहों में प्रयुक्त किए जाने के लिए कल-पुर्जों के अनुषंगी एककों को खोले जाने की व्यवहारिकता के संबंध में सर्वेक्षण पूरा हो गया है;

(ख) यदि हां, तो उसका ब्यौरा क्या है ;

(ग) इन तापविद्युतगृहों के लिए अब तक कितने अनुषंगी एककों की स्वीकृति प्रदान कर दी गई है और ऐसे एककों में कितने स्थानीय व्यक्ति नियोजित हैं ; और

(घ) मध्य प्रदेश में ताप विद्युत-गृहों में कल पुर्जों की खरीद पर प्रतिवर्ष औसतन कितने रुपये व्यय किये जाते हैं और क्या मध्य प्रदेश के बाहर स्थापित किये गये अनुषंगी उद्योगों से ऐसे कलपुर्जों की खरीद अभी भी की जा रही है ?

ऊर्जा मंत्रालय में विद्युत विभाग में राज्य मंत्री (श्री कल्पनाथ राय) : (क) से (ग) राष्ट्रीय ताप विद्युत निगम द्वारा अपनी परियोजनाओं के चारों तरफ किए गए सर्वेक्षण से पता चलता है कि वहां का स्थान कल पुर्जों के अनुषंगी एकक खोलने के लिए उपयुक्त नहीं है, इसके अनेक कारण हैं जिसमें ये शामिल है; कम प्रत्याशित खरीद और संयंत्रों की नवीनतम परिष्कृत प्रौद्योगिकी जो कि आसानी से अनुषंगी एकक लगाने के अनुरूप नहीं हो पाता ।

(घ) रा० ता० वि० निगम द्वारा वर्ष 1986-1987, 1987-88 और और 1988-89 (नवम्बर, 1988 तक) के दौरान सुपर ताप विद्युत परियोजनाओं (मध्य प्रदेश में स्थित) के कल-पुर्जों पर किया गया परिव्यय लगभग 15.5 करोड़ रुपए था । ये कल पुर्जे मैसर्स भेल, मैसर्स इन्स्ट्रूमेंटेशन लिमिटेड, कोटा और मैसर्स डीजल लोकोमोटिव वर्क्स, वाराणसी तथा दूसरे अच्छे सप्लाईकर्ताओं जिनके पास अपना अनुषंगी एकक है जैसे मुख्य उपस्कर सप्लाईकर्ताओं से प्राप्त किए गए थे ।

Rural Electrification Programme in Orissa

2869. SHRI BASUDEB MOHAPATRA; Will the Minister of ENERGY be pleased to State:

"(a) the number ol villages so far electrified in the State of Orissa under Rural Electrification Programme dur. ing the Seventh Five Year Plan;

(b) the amount allotted to Orissa Under Rural Electrification Programme in the Seventh Five Year Plan and the total amount spent so far;

(c) how many villages are likely to be electrified during the ~year 1989-90; and

(d) by when all the villages in the State of Orissa are likely to be electrified?

THE MINISTER OF STATE IN THE DEPARTMENT OF POWER IN THE MINISTRY OF ENERGY (SHRI KALPNATH RA'I). (a) During the Seventh Five Year Plan, 4886 villages are reported to have been electrified by Orissa State Electricity Board by the end of January, 1989.